

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	50554	(client\$3 user\$3) same (request\$3) same chang\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 10:14
L2	11767	configur\$3 near5 data near5 chang\$3 notif\$4 near5 client\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 10:14
L3	807840	configur\$3 near5 data near5 chang\$3 neaer5 request\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 10:14
L4	3313	1 and 2 and 3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 10:16
L5	10291	4 and identif\$3 client\$3 near5 (effect\$3 affect\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 10:16
L6	9	4 and identif\$3 near5 client\$3 near5 (effect\$3 affect\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 10:16
L7	1	6 and partition\$3 near5 writ\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 10:17
L8	26	4 and partition\$3 near5 writ\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 10:17

## EAST Search History

L9	2	4 and partition\$3 near5 writ\$3 near5 replica\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 10:18
L10	22	3 and partition\$3 near5 writ\$3 near5 replica\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 10:19
L11	1832	3 and partition\$3 near5 writ\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 10:19
L12	273	1 and partition\$3 near5 replica\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 10:19
L13	44	12 and (notif\$4 transmit\$4 send\$3 identif\$4 ) near5 (client\$3 ) near5 (chang\$3 updat\$3 new modif\$3 edit\$3) near5 client\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 10:20
L14	78	12 and (notif\$4 transmit\$4 send\$3 identif\$4 ) near5 (client\$3 ) near5 (chang\$3 updat\$3 new modif\$3 edit\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 10:20
L15	4	14 and chang\$3 near5 configur\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 10:21
L16	73	configur\$3 near5 data near5 chang\$3 near5 request\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 10:22
L17	0	16 and partition\$3 near5 writ\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 10:22

## EAST Search History

L18	0	16 and partition\$3 near5 replica\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 10:24
L19	3313	1 and 2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 10:25
L20	26	19 and partition\$3 near5 writ\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 10:26
L21	4	20 and partition\$3 near5 replica\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 10:26
L22	24	20 and (notif\$4 transmit\$4 send\$3 identif\$4 ) near5 (client\$3 customer\$3 devic\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 10:27
L23	4	22 and partition\$3 near5 replica\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 10:27
S1	2	"6871279".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/04 14:07
S2	2	"6985955".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/04 14:08
S3	2	"7073195".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/04 14:08

## EAST Search History

S4	2	"20050071754"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/04 14:08
S5	2	S4 and (client\$3 user\$3) same (request\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/04 14:09
S6	2	S4 and (client\$3 user\$3) same (request\$3) same chang\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/04 14:20
S7	10204	configur\$3 near5 data near5 chang\$3 notif\$4 near5 client\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/04 14:22
S8	722181	configur\$3 near5 data near5 chang\$3 near5 request\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/04 14:22
S9	9042	S7 and S8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/04 14:21
S10	12916	S9 and identif\$3 client\$3 near5 (effect\$3 affect\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/04 14:22
S11	0	configur\$3 near5 data near5 chang\$3 near5 notif\$4 near5 client\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/04 14:23
S12	3	configur\$3 near5 data near5 (chang\$3 updat\$3 modif\$3 edit\$3 new\$3) near5 notif\$4 near5 client\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/04 15:18

## EAST Search History

S13	60	configur\$3 near5 data near5 chang\$3 near5 request\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/04 14:25
S14	0	S12 and S13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/04 14:24
S15	5943	data near5 chang\$3 near5 request\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/04 14:25
S16	1	S12 and S15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/04 14:26
S17	15	set\$3 near5 data near5 (chang\$3 updat\$3 modif\$3 edit\$3 new\$3) near5 notif\$4 near5 client\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/04 14:26
S18	2	S17 and S15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/04 14:26
S19	2	S7 and configur\$3 near5 data near5 (chang\$3 updat\$3 modif\$3 edit\$3 new\$3) near5 notif\$4 near5 client\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 13:37
S20	966	(configur\$6 operation\$3 servic\$3) near5 ( menu parameter\$3 data set\$3 ) near5 (chang\$3 updat\$3 modif\$3 edit\$3 new\$3) near5 (notif\$4 transmit\$4 send\$3 notic\$3 sit\$3 proptert\$4 polic\$4) near5 (client\$3 customer\$3 devic\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 14:10

## EAST Search History

S21	864	(configur\$6 operation\$3 servic\$3) near5 ( menu parameter\$3 data set\$3 notic\$3 sit\$3 propert\$4 polic\$4 ) near5 (chang\$3 updat\$3 modif\$3 edit\$3 new\$3) near5 (notif\$4 transmit\$4 send\$3 ) near5 (client\$3 customer\$3 devic\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 13:52
S22	804	S21 and (notif\$4 transmit\$4 send\$3 identif\$4 ) near5 (client\$3 customer\$3 devic\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 13:53
S23	647	S21 and (notif\$4 transmit\$4 send\$3 identif\$4 ) near5 (client\$3 customer\$3 devic\$3) near5 (chang\$3 updat\$3 new modif\$3 edit\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 13:58
S24	468	S23 and @ad<"20040604"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 14:11
S25	328	S24 and (configur\$6 operation\$3 ) near5 ( menu parameter\$3 data set\$3 ) near5 (chang\$3 updat\$3 modif\$3 edit\$3 new\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 13:57
S26	192	S21 and (notif\$4 transmit\$4 send\$3 identif\$4 ) near5 (client\$3 customer\$3 devic\$3) near5 (chang\$3 updat\$3 new modif\$3 edit\$3) near5 client\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 14:18
S27	146	S26 and @ad<"20040604"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 13:59
S28	138	(configur\$6 operation\$3 ) near5 ( menu parameter\$3 data set\$3 ) near5 (chang\$3 updat\$3 modif\$3 edit\$3 new\$3) near5 (notif\$4 transmit\$4 send\$3 notic\$3 ) near5 (client\$3 )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 14:10

## EAST Search History

S29	100	S28 and @ad<"20040604"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 14:12
S30	75	S27 AND S29	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 14:12
S31	7	(US-20050071754-\$ or US-20050234931-\$ or US-20050138348-\$ or US-20050114315-\$).did. or (US-7171661-\$ or US-7127460-\$ or US-6901580-\$).did.	US-PGPUB; USPAT	OR	ON	2007/09/27 14:18
S32	7	S31 and (notif\$4 transmit\$4 send\$3 identif\$4 ) near5 (client\$3 ) near5 (chang\$3 updat\$3 new modif\$3 edit\$3) near5 client\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 14:18
S33	7	S31 and (notif\$4 transmit\$4 send\$3 identif\$4 ) near5 (client\$3 ) near5 (chang\$3 updat\$3 new modif\$3 edit\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 14:20
S34	2	S31 and (notif\$4 transmit\$4 send\$3 identif\$4 ) near5 (client\$3 ) near5 (chang\$3 updat\$3 new modif\$3 edit\$3) near7 affect\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 14:20
S35	5	S27 and S30 and S33	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 14:33
S36	2	"20040059813"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 14:33


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) | [Purchase History](#) | [Cart](#) | [Site](#)


Welcome United States Patent and Trademark Office

[Search Results](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)[SUPPORT](#)

Results for "((configure &lt;and&gt; data &lt;and&gt; partition &lt;and&gt; change)&lt;in&gt;metadata)"

Your search matched 1 of 1741857 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

[e-mail](#)
» [Search Options](#)[View Session History](#)[New Search](#)» [Key](#)

IEEE JNL IEEE Journal or Magazine

IET JNL IET Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IET CNF IET Conference Proceeding

IEEE STD IEEE Standard

Modify Search

[Search](#) >☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract[IEEE/ET](#)[Books](#)[Educational Courses](#)[Application Notes](#)

IEEE/ET journals, transactions, letters, magazines, conference proceedings, and standards.

[view selected items](#)[Select All](#) [Deselect All](#)

- ☐ 1. **Towards Self-Configuring Hardware for Distributed Computer Systems**  
 Wildstrom, J.; Stone, P.; Witchel, E.; Mooney, R.J.; Dahlin, M.;  
Autonomic Computing, 2005. ICAC 2005. Proceedings. Second International Conference on  
13-16 June 2005 Page(s):241 - 249  
 Digital Object Identifier 10.1109/ICAC.2005.63  
[AbstractPlus](#) | Full Text: [PDF\(147 KB\)](#) [IEEE CNF](#)  
[Rights and Permissions](#)

[Help](#) [Contact Us](#) [Privacy & Security](#)

© Copyright 2008 IEEE – All Rights Reserved

Indexed by

Inspec®




[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) | [Purchase History](#) | [Cart](#) | [Site](#)

Welcome United States Patent and Trademark Office

[Search Results](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)[SUPPORT](#)

Results for "((configure &lt;and&gt; data &lt;and&gt; partition &lt;and&gt; client)&lt;in&gt;metadata)"

Your search matched 1 of 1741857 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

e-mail
 print

» [Search Options](#)[View Session History](#)[New Search](#)» [Key](#)

IEEE JNL IEEE Journal or Magazine

IET JNL IET Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IET CNF IET Conference Proceeding

IEEE STD IEEE Standard

Modify Search


☐ Check to search only within this results set
Display Format: ☒ Citation ☐ Citation & Abstract[IEEE/IET](#)[Books](#)[Educational Courses](#)[Application Notes](#)

IEEE/IET journals, transactions, letters, magazines, conference proceedings, and standards.




- ☐ 1. **Scheduling Data Broadcast Based on Multi-Frequency in Mobile Interactive Broadcast**  
 Sang Hyuk Kang; Sujeong Choi; Seong Jong Choi; Gwangsoon Lee; Jaewug Lew; Jun Lee;  
[Broadcasting, IEEE Transactions on](#)  
 Volume 53, [Issue 1](#), Part 2, March 2007 Page(s):405 - 411  
 Digital Object Identifier 10.1109/TBC.2006.889095  
[AbstractPlus](#) | Full Text: [PDF\(752 KB\)](#) IEEE JNL  
[Rights and Permissions](#)

 Indexed by  
 Inspec

[Help](#) [Contact Us](#) [Privacy & Security](#)

© Copyright 2008 IEEE - All Rights Reserved

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) | [Purchase History](#) | [Cart](#) | [Site](#)

Welcome United States Patent and Trademark Office

[Search Results](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)[SUPPORT](#)

Results for "((configure &lt;and&gt; data &lt;and&gt; partition &lt;and&gt; write)&lt;in&gt;metadata)"

Your search matched 0 of 1741857 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

[e-mail](#) 

## » Search Options

[View Session History](#)[New Search](#)

## » Key

IEEE JNL IEEE Journal or Magazine

IET JNL IET Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IET CNF IET Conference Proceeding

IEEE STD IEEE Standard

## Modify Search

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract[IEEE/IET](#)[Books](#)[Educational Courses](#)[Application Notes](#)

IEEE/IET journals, transactions, letters, magazines, conference proceedings, and standards.

[Select All](#) [Deselect All](#)

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revising your

Indexed by  
 Inspec\*[Help](#) [Contact Us](#) [Privacy & Security](#)

© Copyright 2008 IEEE — All Rights Reserved

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) | [Purchase History](#) | [Cart](#) | [Site](#)


Welcome United States Patent and Trademark Office

[Search Results](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)[SUPPORT](#)

Results for "((configure &lt;and&gt; data &lt;and&gt; partition &lt;and&gt; replica)&lt;in&gt;metadata)"

Your search matched 0 of 1741857 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

[e-mail](#) [print](#)» [Search Options](#)[View Session History](#)[New Search](#)» [Key](#)

IEEE JNL IEEE Journal or Magazine

IET JNL IET Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IET CNF IET Conference Proceeding

IEEE STD IEEE Standard

Modify Search

 ☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract[IEEE/IET](#)[Books](#)[Educational Courses](#)[Application Notes](#)

IEEE/IET journals, transactions, letters, magazines, conference proceedings, and standards.

[Select All](#) [Deselect All](#)

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revising your

Indexed by  
 Inspec[Help](#) [Contact Us](#) [Privacy & Security](#)

© Copyright 2008 IEEE – All Rights Reserved



USPTO


[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide

(Abstract:configure and Abstract:data and Abstract:partition)



THE ACM DIGITAL LIBRARY



(Abstract:configure and Abstract:data and Abstract:partition)

Found 1 of 238,581

Terms used: **configure data partition**Sort results  
by

relevance

[Save results to a Binder](#)Display  
results

expanded form

☐ Open results in a new  
window
[Refine these results with Advanced Search](#)
[Try this search in The ACM Guide](#)

Results 1 - 1 of 1

# 1 [Scalable Self-Configuring Integration of Localization and Indexing in Wireless Ad-Hoc Sensor Networks](#)

Lin Xiao, Aris M. Ouksel

 May 2006 **MDM '06: Proceedings of the 7th International Conference on Mobile Data Management (MDM'06) - Volume 00**, Volume 00

Publisher: IEEE Computer Society

 Full text available: [Publisher Site](#) Additional Information: [full citation](#), [abstract](#), [index terms](#)

Data applications in wireless ad hoc sensor networks require scalable localization methods and dynamic data space partitioning among sensors to support efficient query processing. These challenges are exacerbated by sensors' inherent constraints in storage ...

Ads by Google

## IEEE Members

 Radar signal  
processing  
education Graduate  
in 12 months  
[professionalstudies.umd.e](#)

## Extreme PDF Compression

 Create Smallest  
PDF and PDF/A  
with OCR out of  
your scanned  
documents  
[www.LuraTech.com](#)

## Wireless Traffic Counters

 Increase Retail  
Performance With  
SMS Retail Traffic  
Counters !  
[StoreTraffic.com](#)

## Fight Your Traffic Ticket

 Know Your Options  
- Get Free Advice  
From A Top Traffic  
Lawyer Now  
[www.TixNix.com](#)

Results 1 - 1 of 1



USPTO

[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

## Advanced Search

THE ACM DIGITAL LIBRARY

No results were found.

Please revise or [start a new search instead](#)

Enter words, phrases or names below to revise your search.

Surround phrases or full names with double quotation marks.

**SEARCH**

Edit the query directly, or use the form below

(Abstract:configure and Abstract:data and Abstract:partition and Abstract:replica)

## Words or Phrases

Find  withall of  
this  
text  
(and)any  
of  
this  
text  
(or)none  
of  
this  
text  
(not)

## Names

Find

with names

using ☒ all ☐ any ☐ none of the names

## Keywords

Find author's  
keywordsusing ☒ all ☐ any ☐ none of the keywords

## Affiliations

Find  
company or  
schoolusing ☒ all ☐ any  
☐ none of the affiliations

## Publication

Find  
publicationusing ☒ all ☐ any ☐ none of the names

Find publisher

using ☒ any ☐ none of the namesPublished since  Published before In publication types ☐ Journal ☐ Proceeding ☐ Transaction ☐ Magazine ☐ Newsletter

## Conference



USPTO

[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

## Advanced Search

THE ACM DIGITAL LIBRARY

No results were found.

Please revise or [start a new search instead](#)

Enter words, phrases or names below to revise your search.

Surround phrases or full names with double quotation marks.

**SEARCH**

Edit the query directly, or use the form below

(Abstract:configure and Abstract:data and Abstract:partition and Abstract:change)

## Words or Phrases

Find  withall of  
this  
text  
(and)any  
of  
this  
text  
(or)none  
of  
this  
text  
(not)

## Names

Find

with names

using ☒ all ☐ any ☐ none of the names

## Keywords

Find author's  
keywordsusing ☒ all ☐ any ☐ none of the keywords

## Affiliations

Find  
company or  
schoolusing ☒ all ☐ any  
☐ none of the affiliations

## Publication

Find  
publicationusing ☒ all ☐ any ☐ none of the names

Find publisher

using ☒ any ☐ none of the namesPublished since  Published before In publication types ☐ Journal ☐ Proceeding ☐ Transaction ☐ Magazine ☐ Newsletter

## Conference

[Web](#) [Images](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more ▼](#)[Sign in](#)

Google

configure data partition replica write topolog

Search

[Advanced Search](#)  
[Preferences](#)**Web** Results 1 - 10 of about 45,200 English pages for **configure data partition replica write topology**. (0.30 seconds)

### Active Directory Replication

The **replica** on each domain controller has read and **write** attributes. .... The Active Directory replication **topologies** typically utilized are: ...

[www.tech-faq.com/active-directory-replication.shtml](#) - 34k - [Cached](#) - [Similar pages](#)

#### What is Replication Toplogy in Active Directory?

Replication **Topology** is the route by which replication **data** travels ... from its own domain and a partial **replica** of all domain **partition** in the forest. ...

[www.tech-faq.com/replication-topology-active-directory.shtml](#) - 34k -

[Cached](#) - [Similar pages](#)

### IBM developerWorks: Wikis - ObjectGrid V6.1 User Guide ...

Distributed ObjectGrid concepts; Dynamic deployment **topology**. ObjectGrid container. Map set. **Partition**; Shard. Primary Shard; **Replica** Shard ...

[www.ibm.com/developerworks/wikis/display/objectgridprog/ObjectGrid+architecture](#) - 52k -

[Cached](#) - [Similar pages](#)

### Configuring NetWare 4 for the Mobile User

As well as shared application **data**, a mobile user will normally also have access to a .... log in to a container whose master **partition replica** is remote. ...

[support.novell.com/techcenter/articles/ana19940701.html](#) - 39k - [Cached](#) - [Similar pages](#)

### O'Reilly - Safari Books Online - 0596004664 - Active Directory ...

None of the objects contained in an application **partition** are replicated to the global catalog. Even if a domain controller that holds a **replica** of an ...

[safari.oreilly.com/0596004664/actdir2-CHP-3-SECT-4](#) - [Similar pages](#)

### Planning for Access to Active Directory

The Active Directory **Topology** service runs on all Exchange 2007 server roles. This service reads information from all Active Directory partitions. The **data** ...

[technet.microsoft.com/en-us/library/aa998561\(EXCHG.80\).aspx](#) - 22k -

[Cached](#) - [Similar pages](#)

### Using Microsoft DFS for Failover

Setup the rights to allow **write** to the share. Then create a new folder, ... The DFS **topology** is stored in the server-based **Partition** Knowledge Table (PKT). ...

[help.globalscape.com/help/availl/Using\\_Microsoft\\_DFS\\_for\\_Failover.htm](#) - 38k -

[Cached](#) - [Similar pages](#)

### [PDF] A Gradient Topology for Master-Slave Replication in Peer-to-Peer ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

gradient **topology** that helps to solve the problem of **replica** placement ... one is to **partition** the **data** among a set of peers using some indexing scheme, ...

[www.cs.tcd.ie/~jsacha/pub/dbisp2p05.pdf](#) - [Similar pages](#)

## R

Read-**write replica**. Use to read or update Directory information (such as ... of that **partition**, so that each **partition's replica** contains the same **data** as ...

[docs.hp.com/en/J2771-90012/ch01s17.html](#) - 68k - [Cached](#) - [Similar pages](#)

### WebSphere 5.0: HTTP Session Management

A special case of Peer-to-peer is the Single **Replica** option, where session info ... So there is another **topology** option - **configuring** Client/Server setup, ...

[publib.boulder.ibm.com/.../was/5.0/Administration/WAS50\\_SessionMgmt/player.html?](#)

[Web](#) [Images](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more ▼](#)[Sign in](#)[Google](#)

configure data partition replica write topolog

[Search](#)[Advanced Search](#)  
[Preferences](#)

**Web Results 1 - 10** of about **27,000 English** pages for **configure data partition replica write topology notify**. (0.32 second)

### How Active Directory Replication Topology Works

Connect every directory **partition replica** that must be replicated. .... following options for **configuring** site links to control the replication **topology**: ...  
technet2.microsoft.com/WindowsServer/en/library/c238f32b-4400-4a0c-b4fb-7b0febecfc731033.mspx - 214k - [Cached](#) - [Similar pages](#)

### Distributed directories

Each **partition** has its own replication site consisting of two peer servers and a **replica** to provide the read **write** backup capabilities. ...  
publib.boulder.ibm.com/infocenter/tivihelp/v2r1/topic/com.ibm.IBMDS.doc/admin\_gd20.htm - 99k - [Cached](#) - [Similar pages](#)

### Future Generation Computer Systems : Decentralized data management ...

There is no support for automatic **replica** creation and **data** placement. .... on a three-tier binary tree **Data Grid topology**, with a single root server, ...  
linkinghub.elsevier.com/retrieve/pii/S0167739X06001300 - [Similar pages](#)

### KCC and Topology Generation

Because a ring **topology** is created for each directory **partition**, the **topology** might ... only how the KCC creates connections, not how to **configure** a site. ...  
www.microsoft.com/technet/prodtechnol/windows2000serv/reskit/distrib/dsbh\_rep\_baff.mspx - 49k - [Cached](#) - [Similar pages](#)

### Active Directory Cookbook, 2nd edition > TechTasks Books

Site **Topology** 12.1 Creating a Site 12.2 Listing the Sites 12.3 Renaming a Site ... a **Replica** Server for an Application **Partition** 18.4 Finding the **Replica** ...  
techtasks.com/printbook/view/2 - 33k - [Cached](#) - [Similar pages](#)

### [PDF] Active Directory Restructuring Recommendations

File Format: PDF/Adobe Acrobat - [View as HTML](#)  
separate from the global catalog **data**. • When an application directory **partition replica** is created, the Domain-Naming FSMO role must ...  
asg.andrew.cmu.edu/arch/ao/2004-001-tgd/MCS-AD-restructure.pdf - [Similar pages](#)

### [PDF] PowerPoint Presentation

File Format: PDF/Adobe Acrobat - [View as HTML](#)  
**configure** the security settings on client computers that connect to the organization's wireless ..... **partition**, or add or remove a **partition replica**, by ...  
www.oucs.ox.ac.uk/its3/seminar-notes/2004-01-12-MSwin2003server.pdf - [Similar pages](#)

### Web services database cluster architecture - Patent 20070203944

The **data partition** deployment and query routing logic is not an industry ..... 206 is configured with the database **partition topology** and using the same, ...  
www.freepatentsonline.com/y2007/0203944.html - 59k - [Cached](#) - [Similar pages](#)

### draft ietf ldup replica req 05 txt

Complete knowledge of **topology** may not be shared among all replicas. Model 5: Ad hoc --  
A copy of a **data** store where no follow up checks are made for the ...  
www.ietf.org/proceedings/00dec/I-D/draft-ietf-ldup-replica-req-05.txt - 57k - [Cached](#) - [Similar pages](#)

### [PDF] www.chinatag.com

File Format: PDF/Adobe Acrobat - [View as HTML](#)  
4.5.4 Adding or Removing an Application Directory **Partition Replica** .... Directory site



[Web](#) [Images](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more ▼](#)[Sign in](#)[Google](#)

configure data partition replica write topolog

[Search](#)[Advanced Search](#)  
[Preferences](#)**Web Results 1 - 10 of about 24,900 English pages for configure data partition replica write topology database notify. (0.**

### How Active Directory Replication Topology Works

Connect every directory **partition replica** that must be replicated. .... following options for **configuring** site links to control the replication **topology**: ...  
technet2.microsoft.com/WindowsServer/en/library/c238f32b-4400-4a0c-b4fb-7b0febecfc731033.mspx - 214k - [Cached](#) - [Similar pages](#)

### Web services database cluster architecture - Patent 20070203944

The **database** products providing **data partitioning** may need extra **database** .... 206 is configured with the **database partition topology** and using the same, ...  
www.freepatentsonline.com/y2007/0203944.html - 59k - [Cached](#) - [Similar pages](#)

### Active Directory Cookbook, 2nd edition > TechTasks Books

Site **Topology** 12.1 Creating a Site 12.2 Listing the Sites 12.3 Renaming a Site .... HR **Database Data** into MIIS Using a Run Profile 23.11 **Configuring** a Run ...  
techtasks.com/printbook/view/2 - 33k - [Cached](#) - [Similar pages](#)

### Distributed directories

Each **partition** has its own replication site consisting of two peer servers and a **replica** to provide the read **write** backup capabilities. ...  
publib.boulder.ibm.com/infocenter/tivihelp/v2r1/topic/com.ibm.IBMDS.doc/admin\_gd20.htm - 99k - [Cached](#) - [Similar pages](#)

### [PDF] Active Directory Restructuring Recommendations

File Format: PDF/Adobe Acrobat - [View as HTML](#)  
When an application directory **partition replica** is created, the Domain-Naming .... Mostly **write** operations. RAID 1. Active Directory **database** and SYSVOL ...  
asg.andrew.cmu.edu/arch/ao/2004-001-tgd/MCS-AD-restructure.pdf - [Similar pages](#)

### Inhaltsverzeichnis von Active Directory Cookbook

18.3 Adding or Removing a **Replica** Server for an Application **Partition** ... 23.10 Loading Initial HR **Database Data** into MIIS Using a Run Profile ...  
www.oreilly.de/catalog/activedckbk2/toc.html - 53k - [Cached](#) - [Similar pages](#)

### [PDF] PowerPoint Presentation

File Format: PDF/Adobe Acrobat - [View as HTML](#)  
**partition**, or add or remove a **partition replica**, by ... Read-only copy of a DNS **database**. Secondary. Read/write. Read-only. Copy with. limited. records ...  
www.oucs.ox.ac.uk/its3/seminar-notes/2004-01-12-MSwin2003server.pdf - [Similar pages](#)

### [PDF] Technical Comparison of Oracle Database 10 g versus SQL Server ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)  
the **replica**, customers can **configure** transactional replication to allow updates, ... by **partitioning data** access, they must implement a solution to ensure ...  
www.oracle.com/technology/products/dataint/pdf/twp\_info\_int\_ss\_2005\_competitive.pdf - [Similar pages](#)

### Separately storing core boot data and cluster configuration data ...

Dual disk lock arbitration between equal sized **partition** of a cluster .... The core-boot **data** is stored in a **database** on the quorum storage mechanism 57, ...  
www.patentstorm.us/patents/6453426-description.html - 69k - [Cached](#) - [Similar pages](#)

### Managing Replication Between Sites

If SEA-DC-01 does not contain a **replica** of the reskit.com domain directory **partition**, it cannot transitively replicate domain **data** between NYC and DFW. ...